

**U. S. Department of Energy  
Facilities Information Management System  
Request for Change  
Change Request #: 13-34**

Withdrawn					
Requestor Name:	Ivan Graff	Date:	07/12/2013	Affiliation:	
Email Address:	Ivan.graff@hq.doe.gov	Phone No:	202-586-8120	DOE	X
Man Hours to Implement:		HQ Program Ofc:	MA-65	Contractor	
Proposed Change:	<p>Clarify in the FIMS Data Element Dictionary that sites will determine predominance based on building area (Net Usable Sq. Ft.). For buildings with a multifaceted character, for each of the data elements appearing below, sites will identify the response option that best fits each portion of the building, then tally the building area by response option, noting each response option's percentage of the total building area. The site will then select the response option with highest percentage as the predominant attribute or designation.</p> <p>This change applies to the descriptions of the following data elements:</p> <ol style="list-style-type: none"> <li>1. Mission Dependency</li> <li>2. Mission Dependent Program</li> <li>3. Model Building Type</li> <li>4. Status</li> <li>5. Usage Code</li> <li>6. Using Organization</li> </ol>				
Justification:	The FIMS User Guide does not address the basis by which sites establish the predominant attribute or designation when directed to identify predominance in the FIMS Data Element Dictionary.				
<b>Please Do Not Type Below This Line</b>					
FAC Remarks:					
OAPM Remarks:					
FDDC Remarks:					
Implemented:					